



Safety Data Sheet
According to the (US) Hazard Communication Standard (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name Iodine Titrant, 0.0282 N
NCL Catalog Number I-70
Product Description Laboratory chemical, APHA for Residual Chlorine.
Supplier
NCL of Wisconsin, Inc. **Telephone:** 1-800-648-7836 **Fax:** 715-449-2454
P.O. Box 8 **Emergency Contact:** 1-800-424-9300 (Chemtrec)
Biramwood, WI 54414 **Email:** nclabs@nclabs.com

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification

Aquatic Acute Category 3

Signal Word Not applicable

Hazard Statements

H402 Harmful to aquatic life.

Precautionary Statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to comply with local, state and federal regulations.

Other Hazards Not Contributing to the Classification

None under normal conditions.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Identity Not applicable

Common Name Not applicable

Mixture

Name	CAS #	Approximate %
Water	7732-18-5	96.0
Potassium Iodide	7681-11-0	3.6
Iodine	7553-56-2	0.4

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General First Aid Measures Never give anything by mouth to an unconscious person. Seek medical advice if you feel unwell.

If Inhaled Remove person to fresh air and keep comfortable for breathing. Allow victim to rest.

In Case of Skin Contact Remove all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention.

In Case of Eye Contact Rinse carefully with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation persists: get medical advice/attention.

If Swallowed Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most Important Symptoms/Effects Acute and Delayed

After Inhalation May cause an allergic skin reaction.

After Skin Contact Causes skin irritation.

After Eye Contact

Causes serious eye irritation.

Indication of Immediate Medical Attention and Special Treatment Needed

Seek medical attention if exposed.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Foam. Dry powder. Sand. Carbon dioxide. Water spray.

Unsuitable Extinguishing Media

Do not use high pressure water stream.

Special Hazards Arising from the Chemical

Thermal decomposition generates corrosive vapors. Reacts with some metals to release highly flammable gases/vapors.

Special Protective Actions for Fire-Fighters

Wear self-contained breathing apparatus and protective clothing. Keep exposed containers cool with water spray.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment (see section 8). Evacuate area of non-essential personnel. Eliminate ignition sources. Ventilate area.

Environmental Precautions

Prevent entry to surface and ground waters.

Methods and Materials for Containment and Cleaning Up

Clean up spill with inert absorbent material. Collect spillage. Store away from other materials. Ensure compliance with federal, state and local regulations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Avoid contact with eyes and skin. Avoid breathing vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

Conditions for Safe Storage Including any Incompatibilities

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Store away from sunlight, which can contribute to instability. Store away from; strong reducing agents, ammonia, acetaldehyde, metals, and strong bases.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Iodine (7553-56-2)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.1 mg/m ³ Inhalable Fraction
USA ACGIH	ACGIH TWA (ppm)	0.01 ppm Inhalable Fraction
USA ACGIH	ACGIH STEL (mg/m ³)	1 mg/m ³
USA ACGIH	ACGIH STEL (ppm)	0.1 ppm
USA OSHA	OSHA PEL (Ceiling) (mg/m ³)	1 mg/m ³
USA OSHA	OSHA PEL (Ceiling) (ppm)	0.1 ppm
Potassium Iodide (7681-11-0)		
USA ACGIH	ACGIH TWA (ppm)	0.01 ppm Inhalable Fraction

Appropriate Engineering Controls

Material should be handled or transferred in a fume hood or with equivalent ventilation. Maintain eye-wash fountain and quick-drench facilities in work area.

Individual Protection Measures

Avoid all unnecessary exposure.

Eye/Face Protection

Use chemical safety goggles and /or a full face shield where splashing is possible. Contact lenses should not be worn when working with this material.

Skin Protection

Rubber or neoprene gloves and additional protection including impervious boots, apron, or coveralls, as needed in areas of unusual exposure to prevent skin contact.

Respiratory Protection

Wear appropriate mask.

Other Information

Do not eat, drink, or smoke when using this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Color	Dark brown
Odor	Characteristic
Odor Threshold	Not determined
pH	Not determined
Melting Point/Freezing Point	Not determined
Initial Boiling Point and Boiling Range	Not determined
Flash Point	Not determined
Evaporation Rate	Not determined
Flammability (Solid, Gas)	Not determined
Upper/Lower Flammability/Explosive Limits	Not determined
Vapor Pressure	Not determined
Vapor Density	Not determined
Relative Density	1.0
Solubility	Soluble in water
Partition Coefficient: n-octanol/water	Not determined
Auto-Ignition Temperature	Not determined
Decomposition Temperature	Not determined
Viscosity	Not determined

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Not available.
Chemical Stability	Stable under ordinary conditions of use and storage.
Possibility of Hazardous Reactions	Not available.
Conditions to Avoid	Extremely high or low temperatures. Heat and sunlight can contribute to instability.
Incompatible Materials	Metals, strong reducing agents, ammonia, and strong bases.
Hazardous Decomposition Products	When heated to decomposition, can emit toxic gases, iodine vapor, potassium oxide, and hydrogen chloride. Thermal decomposition generates corrosive vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity	Not classified
Iodine (7553-56-2)	
LD50 oral rat	14000 mg/kg
LD50 dermal rat	220 mg/kg
ATE (dermal)	1100 mg/kg
ATE (dust, mist)	1.5 mg/l/4h
Water (7732-18-5)	
LD50 oral rat	≥90000 mg/kg
Skin Corrosion/Irritation	Not classified
Serious Eye Damage/Irritation	Not classified
Respiratory or Skin Sensitization	Not classified
Germ Cell Mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive Toxicity	Not classified
Specific Target Organ Toxicity (Single Exposure)	Not classified
Specific Target Organ Toxicity (Repeated Exposure)	Not classified

Aspiration Hazard	Not classified
Potential Adverse Human Health Effects and Symptoms	No data available
Chronic Symptoms	Not available
Other Information	Not available

SECTION 12: ECOLOGICAL INFORMATION

Ecology – Water Toxicity Harmful to aquatic life.

Iodine (7553-56-2)	
LC50 fishes 1	1.7 mg/l
EC50 daphnia 1	0.2 mg/l
Potassium Iodide (7681-11-0)	
LC50 fishes 1	3200 mg/l 120h
EC50 daphnia 1	2.7 mg/l 24h

Persistence and Degradability:	Not established
Bioaccumulative Potential:	Not established
Log Pow	2.449
Mobility in Soil:	Not established
Other Adverse Effects:	May cause pH changes in aqueous ecological systems.

SECTION 13: DISPOSAL CONSIDERATIONS

Methods of Disposal

Disposal Recommendations	Dispose of contents/containers in accordance with federal, state and local regulations.
Other Information	Avoid release to the surrounding environment.

SECTION 14: TRANSPORT INFORMATION

UN Number	Not applicable
UN Shipping Name	Not applicable
Transport Hazard Class(es)	Not applicable
Packing Group	Not applicable
Environmental Hazards	Not applicable
Transport in Bulk	Not applicable
Other Precautions	Not applicable

SECTION 15: REGULATORY INFORMATION

Iodine (7553-56-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard
Potassium Iodide (7681-11-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard
Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

SECTION 16: OTHER INFORMATION


Revision Date: 04/08/2015

NFPA Hazards

Health Hazard 1: Exposure would cause irritation with only minor residual injury.

Fire Hazard 0: Materials that will not burn.

Reactivity/Instability 0: Normally stable, even under fire exposure conditions, and are not reactive with water.



HMIS III Rating

Health 1: Irritation or minor reversible injury possible.

Flammability 0: Materials that will not burn.

Physical Hazard 0: Materials that are normally stable

Personal Protection B

I-60	
Health	1
Flammability	0
Physical Hazard	0
Personal Protection	B

The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, NCL of Wisconsin, Inc. makes no representation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for their conditions of use. Accordingly, NCL of Wisconsin, Inc. will not be responsible for damages of any kind resulting from the use of or reliance upon such information.

END OF SAFETY DATA SHEET